

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1-9 (Canceled)
10. (New) A composition comprising, for successive or simultaneous addition:
- a) an addition compound of an aliphatic isocyanate and of a five-membered nitrogenous heterocycle of aromatic nature exhibiting a nitrogen-carbon-nitrogen sequence of -N(H)-C(-)=N- type;
 - b) at least one polyol; and
 - c) said heterocycle being substituted by at least one hydrocarbon chain exhibiting, on average, from 1 to 10 carbon atoms per heterocycle.
11. (New) The composition as claimed in claim 10, wherein said substituent is situated on a carbon surrounded by two nitrogens so that said sequence becomes -N(H)-C(R)=N-, wherein R is a hydrocarbon chain exhibiting from 1 to 10 carbon atoms.
12. (New) The composition as claimed in claim 10, wherein said hydrocarbon chain, , exhibits from 2 to 5 carbon atoms per five-membered nitrogenous heterocycle of aromatic nature.

13. (New) The composition as claimed in claim 11, wherein R exhibits from 2 to 5 carbon atoms per five-membered nitrogenous heterocycle of aromatic nature.
14. (New) The composition as claimed in claim 10, wherein said addition compound is an addition compound of an aliphatic isocyanate and of several blocking agents with a mean number of carbons of the blocking agents per blocked isocyanate functional group at least equal to 3.5.
15. (New) The composition as claimed in claim 10, wherein the addition compound is prepared *in situ*.
16. (New) The composition as claimed in claim 10, wherein the addition compound is a compound blocked by more than one blocking agent and in that, among the blocking agents, said five-membered nitrogenous heterocycles of aromatic nature represent at least 50% in equivalents.
17. (New) A composition comprising, for successive or simultaneous addition:
- a) an at least partially aliphatic isocyanate;
 - b) a five-membered nitrogenous heterocycle of aromatic nature exhibiting a nitrogen-carbon-nitrogen sequence of -N(H)-C(-)=N- type; and
 - c) at least one polyol,
- wherein said heterocycle is substituted with at least one hydrocarbon chain exhibiting

from 1 to 10 carbon atoms per heterocycle.

18. (New) Coatings comprising a composition as defined in claim 10.

19. (New) A process for coating a substrate, comprising the steps of:

- a) spreading a coat of a composition as defined in claim 10 over said substrate, and
- b) subjecting said composition to stoving at a temperature ranging from 50°C to 120°C, for a period of time at least equal to 1/2 h.

20. (New) A process according to claim 19, wherein the temperature ranges from 50°C to 100°C, for a period of time at most equal to 2 h